

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	276	vector WITH ((QOS) (Quality ADJ2 Service) (Service ADJ2 Agreement))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 21:05
L2	270	vector WITH ((QOS) (Quality ADJ2 Service) (Service ADJ2 Agreement) WITH (requirements parameters requises))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 21:07
L3	36	2 AND "709"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 21:09
L4	23	(form\$3 creat\$3) WITH vector WITH ((QOS) (Quality ADJ2 Service) (Service ADJ2 Agreement) WITH (requirements parameters requises))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 21:12
S1	9	((GEORGE) near2 (POPESCU)).INV.	US-PGPUB; USPAT	OR	ON	2007/10/24 12:36
S2	87	((ZHEN) near2 (LIU)).INV.	US-PGPUB; USPAT	OR	ON	2007/10/24 12:37
S3	24	((SAMBIT) near2 (SAHU)).INV.	US-PGPUB; USPAT	OR	ON	2007/10/24 12:37
S4	11872	(clustering grouping) WITH (node server computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 12:39
S5	826400	(networking network communication cluster clustering) WITH (management managing control controlling topology)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 12:45

EAST Search History

S6	4837	(distance adj function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 12:50
S7	46788	(network cluster) WITH capacity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 12:54
S8	58363	(network cluster) WITH (delay propagation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 12:55
S10	5	(dimensional WITH RTT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:30
S11	275	(vector adj space) SAME network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:31
S12	44815	(network WITH capacity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:32
S13	26309	(network WITH loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:33

EAST Search History

S14	1830	(feature WITH vector) same Network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:33
S15	47277	(network WITH delay)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:34
S16	20505	(node WITH delay)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:35
S18	23079	(user AND network AND application) SAME (attribute criteria criterion requirement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:37
S19	1023	(path adj loss) SAME network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:38
S20	25606	(user AND network AND application) SAME (attribute criteria criterion requirement constraint)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:39
S21	10174	((list table) WITH (node computer server)) SAME (network AND application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:41

EAST Search History

S22	408	(obtaining getting) WITH (quality near2 service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:42
S23	7756	(forming creating designing outputting) WITH ((list table) WITH (node computer server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:43
S24	105	(extracting getting) WITH (vectors with network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:44
S25	1588	((forming building creating designing outputting) WITH ((network cluster) WITH (constraint attribute criteria criterion requirement))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:47
S26	173	(obtaining getting reading) WITH ((network cluster) WITH (loss))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:48
S27	6345	((forming building creating outputting compiling) WITH (capacity)) AND network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:51
S28	150	((clustering) SAME ((network AND application) SAME (attribute requirement criteria criterion))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:55

EAST Search History

S29	58503	"709"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:55
S30	25310247	@ad<="20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:56
S32	43947	S29 AND S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:57
S33	18	S28 AND S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 13:58
S34	6603	709/226.ccls. 709/235.ccls. 709/229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:10
S35	5537	S34 AND S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:11
S36	0	S35 AND S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:11

EAST Search History

S37	234	S4 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:12
S38	3979	S5 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:12
S39	4	S6 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:13
S40	730	S7 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:13
S41	596	S8 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:13
S42	0	S9 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:13
S43	0	S10 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:13

EAST Search History

S44	0	S11 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:13
S45	696	S12 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:13
S46	301	S13 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:14
S47	6	S14 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:14
S48	525	S15 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:14
S49	168	S16 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:14
S50	2788	S17 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:14

EAST Search History

S51	598	S18 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:14
S52	1	S19 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:14
S53	648	S20 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:14
S54	341	S21 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:14
S55	15	S22 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:14
S56	108	S23 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:14
S57	0	S24 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:14

EAST Search History

S58	23	S25 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:14
S59	2	S26 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:14
S60	48	S27 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:15
S61	0	S28 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:15
S62	8773	709/226.ccls. 709/235.ccls. 709/229.ccls. 709/225.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:18
S63	7175	S62 AND S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:18
S64	0	S63 AND S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:19

EAST Search History

S65	305	S63 AND S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:19
S66	5163	S63 AND S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:19
S67	5	S63 AND S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:19
S68	897	S63 AND S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:19
S69	758	S63 AND S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:19
S70	0	S63 AND S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:19
S71	0	S63 AND S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:19

EAST Search History

S72	0	S63 AND S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:19
S73	863	S63 AND S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:19
S74	367	S63 AND S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:19
S75	7	S63 AND S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:19
S76	658	S63 AND S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:19
S77	201	S63 AND S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:20
S78	3627	S63 AND S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:20

EAST Search History

S79	784	S63 AND S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:20
S80	4	S63 AND S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:20
S81	842	S63 AND S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:20
S82	425	S63 AND S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:20
S83	19	S63 AND S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:20
S84	142	S63 AND S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:20
S85	0	S63 AND S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:20

EAST Search History

S86	32	S63 AND S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:20
S87	2	S63 AND S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:20
S88	58	S63 AND S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:20
S89	252	S65 AND S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:21
S90	2	"20050010571"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:38
S91	32	S81 AND (clustering)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:42
S92	32	S91 AND S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:45

EAST Search History

S93	4	S5 AND S6 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:16
S94	897	S7 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:18
S95	832	S94 AND (map graph diagram display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:19
S96	231	S7 AND S8 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:21
S97	108	S96 AND (map graph)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:24
S98	99	S96 AND (map\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:25
S99	107	S96 AND (map\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:25

EAST Search History

S10 0	40	S99 AND S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:27
S10 1	447	((user AND network AND application) SAME (attribute criteria criterion requirement)) AND fusion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:35
S10 2	7	S101 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:36
S10 3	19108	((user AND network AND application) SAME (attribute criteria criterion requirement)) AND (gam\$3 large (real adj time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:36
S10 4	648	S103 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:37
S10 5	23079	((user AND network AND application) SAME (attribute criteria criterion requirement)) AND (gam\$3 user (real adj time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:40
S10 6	12504	((user AND network AND application) SAME (attribute criteria criterion requirement)) AND (gam\$3 (real adj time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:40

EAST Search History

S10 7	1601	((user AND network AND application) SAME (attribute criteria criterion requirement)) AND (collaborative)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:41
S10 8	57	S107 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:41
S10 9	0	S20 AND S11 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:47
S11 0	3714	S8 AND S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:48
S11 1	137	S8 AND S20 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:49
S11 2	842	S63 AND S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:57
S11 3	50847	(network AND application) SAME (attribute criteria criterion requirement constraint)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:57

EAST Search History

S11 4	1223	S113 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:57
S11 5	0	S114 AND S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:58
S11 6	25	S113 AND S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 15:58
S11 7	8934	middleware AND network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 16:06
S11 8	2011	middleware WITH network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 16:06
S11 9	637	S118 AND S113	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 16:08
S12 0	38	S119 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 16:08

EAST Search History

S12 1	31	S120 AND (bandwidth capacity interest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 16:09
S12 2	14	S120 AND (bandwidth AND capacity AND interest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 16:14
S12 3	0	Solotorevsky.IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 16:39
S12 4	1	"495495".apn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 16:39
S12 5	6	solotorevsky.IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 16:40
S12 6	4	Krisi.IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 16:41
S12 7	4	Meltzin.IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 16:44

EAST Search History

S12 8	933	(network ADJ capacity) AND attribute	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 16:47
S12 9	40	S128 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 16:48
S13 0	1	"669750".apn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:15
S13 1	158	Cheston.IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:16
S13 2	816	Cromer.IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:24
S13 3	685	Locker.IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:31
S13 4	5	S133 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:31

EAST Search History

S13 5	2	abstracting WITH ((network application) ADJ (profile settings characteristic attribute))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:34
S13 6	100	obtaining WITH ((network application) ADJ (profile settings characteristic attribute))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:34
S13 7	42	obtaining WITH ((network application) ADJ (profile settings characteristic attribute) AND ((application) ADJ (profile settings characteristic attribute)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:36
S13 8	42	obtaining WITH ((network application) ADJ (profile setting characteristic attribute) AND ((application) ADJ (profile settings characteristic attribute)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:37
S13 9	101	overlay near2 multicast	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:39
S14 0	2	S139 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:39
S14 1	183	Communication adj interest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:42

EAST Search History

S14 2	6	S141 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:42
S14 3	3	clustering WITH (Communication adj interest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:44
S14 4	13	clustering WITH (Communication adj (need requirement criteria))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:52
S14 5	0	S144 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:53
S14 6	172	(mapping adj2 nodes) WITH (network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:55
S14 7	13	S146 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:55
S14 8	75	(mapping adj nodes) WITH (network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:57

EAST Search History

S14 9	10	S148 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:57
S15 0	9	(optimizing) SAME (network adj (attribute criteria requirement) AND (application adj attribute criteria requirement))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 18:01
S15 1	9	(optimizing) SAME (network adj (attribute criteria requirement) AND ((application software) adj attribute criteria requirement))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 18:03
S15 2	11	(optimizing) SAME (network adj (attribute criteria requirement))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 18:03
S15 3	0	S152 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 18:04
S15 4	0	reclustering adj node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 18:06
S15 5	0	(re adj cluster\$3) adj node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 18:07

EAST Search History

S15 6	6	(re adj cluster\$3) WITH node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 18:07
S15 7	17812	(client with (interest requirement criteria))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 18:09
S15 8	667	S157 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 18:09
S15 9	4928	(QOS (quality adj service)) AND S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 18:13
S16 0	221	S159 AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 18:14
S16 1	6	S160 AND (clustering)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 18:16
S16 2	127	S160 AND (bandwidth AND capacity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 18:18

EAST Search History

S16 3	127	S162 AND S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 18:18
S16 4	2	"5894556".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 09:32
S16 5	121	clustering SAME (distance adj function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:40
S16 6	25311721	@ad<="20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:41
S16 7	71	S165 AND S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:41
S16 8	7	(clustering AND sub) SAME (distance adj function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:44
S16 9	6	S168 AND S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:44

EAST Search History

S17 0	1	(clustering AND sub) SAME ((weighted ADJ distance) near2 (function))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:46
S17 1	2	(clustering) SAME ((weighted ADJ distance) near2 (function))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:46
S17 2	121	(clustering) SAME (distance ADJ function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:47
S17 3	14	(weighted ADJ distance) ADJ function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:49
S17 4	9	S173 AND S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:50
S17 5	801	(clustering) AND (distance WITH nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:51
S17 6	547	S175 AND S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:52

EAST Search History

S17 7	10331	(clustering function) AND (distance WITH nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:53
S17 8	801	(clustering) AND (distance WITH nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:53
S17 9	28	(pinging SAME attributes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 18:32
S18 0	16	S179 AND S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 18:33
S18 1	4195	bandwidth WITH (map graph)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 06:50
S18 2	25311721	@ad<= "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 06:50
S18 3	2933	S181 AND S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 06:50

EAST Search History

S18 4	273	(bandwidth WITH (map graph)) SAME node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 06:52
S18 5	200	S184 AND S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 06:52
S18 6	143	S185 AND (constraint requirement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 06:53
S18 7	143	S186 AND S185	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 06:54
S18 8	122	(loss WITH (map graph)) SAME node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 06:58
S18 9	79	S188 AND S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 06:58
S19 0	24	((packet path) ADJ loss) WITH (graph map)) SAME node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 07:05

EAST Search History

S19 1	12	S190 AND S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 07:06
S19 2	149	((packet path) ADJ loss) WITH (graph map)) AND node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 07:10
S19 3	98	S192 AND S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 07:10
S19 4	58681	"709"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 07:11
S19 5	33	S194 AND S193	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 07:11
S19 6	33	S195 AND S192	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 07:12
S19 7	3511	((forward capacity) WITH (graph map)) AND node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 07:58

EAST Search History

S19 8	3	((forward ADJ capacity) WITH (graph map)) AND node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 07:58
S19 9	2373	S197 AND S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:02
S20 0	269	S199 AND S194	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:06
S20 1	2	S198 AND S200	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:08
S20 2	269	S197 AND S200	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:08
S20 3	18277	((forward capacity) WITH (graph map))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:15
S20 4	12793	S203 AND S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:15

EAST Search History

S20 5	420	S204 AND S194	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:16
S20 6	3	((forward ADJ capacity) WITH (graph map))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:18
S20 7	40	((network ADJ capacity) WITH (graph map))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:18
S20 8	8	S207 AND S194 AND S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:19
S20 9	62	((buffer ADJ capacity) WITH (graph map))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:21
S21 0	7	((buffer ADJ capacity) WITH (graph map)) AND node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:22
S21 1	1	((buffer ADJ capacity) WITH (graph map)) SAME node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:22

EAST Search History

S21 2	1	((path ADJ capacity) WITH (graph map)) SAME node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:22
S21 3	5	((path ADJ capacity) WITH (graph map))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:23
S21 4	3	((forward ADJ capacity) WITH (graph map))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:23
S21 5	1	((message ADJ capacity) WITH (graph map))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:26
S21 6	5	((forward ADJ capacity) SAME (graph map))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 08:26
S21 7	41	((bandwidth ADJ capacity) SAME (graph map))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 09:03
S21 8	30	S217 AND S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 09:04

EAST Search History

S21 9	2	"20050120105"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 10:38
S22 0	257	((((packet path) ADJ loss) WITH (graph map table sheet)) AND node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 11:07
S22 1	159	S220 AND S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 11:08
S22 2	2	"20030097438"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 11:47
S22 3	406	(feature ADJ vectors) SAME node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 15:41
S22 4	25311721	@ad<= "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 15:42
S22 5	276	S223 AND S224	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 15:42

EAST Search History

S22 6	58681	"709"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 15:42
S22 7	4	S226 AND S225	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 15:42
S22 8	147	(vector ADJ space) SAME node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 15:52
S22 9	99	S228 AND S224	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 15:52
S23 0	7	S229 AND S226	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 15:52
S23 1	0	(extracting WITH (vector ADJ space)) SAME node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 15:57
S23 2	7	(communication SAME (vector ADJ space)) SAME node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:00

EAST Search History

S23 3	102	("20050120105" "20040246901" "6061335" "5754938" "5754939" "5835087" "6029195" "6195622" "6460036" "5535213" "5832222" "6256309" "6600724" "6717920" "5402478" "5486836" "5682460" "5838207" "6044075" "6047219" "6185193" "6330586" "20040246900" "20040246904" "20030063585" "5706288" "6144661" "6167028" "6205128" "6330236" "6370144" "6389031" "6668175" "6721272" "6768738" "6987779" "7096040" "20040202184" "20040218607" "20050047335" "20050053046" "20050088968" "20050122945" "20050129013" "20050135375" "20050135389" "20050149754" "20050238026" "20050239458" "20060002377").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 09:23
S23 4	170	(k-means) AND (network\$3) AND (Kohonen)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 17:47
S23 5	25344830	@ad<="20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 17:48
S23 6	93	S234 AND S235	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 17:48
S23 7	6868	709/226.ccls. 709/235.ccls. 709/229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 17:50
S23 8	9116	709/226.ccls. 709/235.ccls. 709/229.ccls. 709/225.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 17:50

EAST Search History

S23 9	0	S236 AND S238 AND S237	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 17:50
S24 0	0	(k-means) SAME (network\$3) SAME (Kohonen ADJ maps)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 17:55
S24 1	55	(k-means) SAME (network\$3) SAME (self-organizing ADJ maps)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 17:57
S24 2	28	S241 AND S235	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 17:57
S24 3	847	((Kohonen ADJ maps)(self-organizing ADJ maps)) AND (vector)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 18:17
S24 4	521	S243 AND S235	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 18:19
S24 5	0	S244 AND S237	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 18:19

EAST Search History

S24 6	0	S244 AND S238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 18:19
S24 7	405	S243 AND (constraints requirments attributes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 18:37
S24 8	540	S243 AND (constraints requirements attributes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 18:38
S24 9	331	S248 AND S235	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 18:38
S25 0	2	"7143159"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 18:53
S25 1	54	"6192401"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 18:54
S25 2	2	"6192401".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 18:54

EAST Search History

S25 3	2	"5870559".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 18:55
S25 4	2	"5870559".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 18:57
S25 5	2	"6684255".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 18:57
S25 6	0	((sampling WITH variance) WITH (attributes constraints)) SAME (vectors AND network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 19:02
S25 7	0	((regression) WITH (attributes constraints)) SAME (vectors AND network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 19:04
S25 8	3	((regression) WITH (attributes constraints)) SAME (vectors AND network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 19:04
S25 9	2255	(attributes constraints) SAME (vectors AND network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 19:04

EAST Search History

S26 0	1435	S259 AND S235	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 19:06
S26 1	2	"20050120105"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 16:18
S26 2	122	(clustering) SAME (program WITH (computer ADJ readable ADJ medium))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 16:20
S26 3	4	(clustering WITH network) SAME (program WITH (computer ADJ readable ADJ medium))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 16:32
S26 4	2	"5828843".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 16:47
S26 5	2	"20050076137"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 16:47
S26 6	2	"20050120105"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 11:58

EAST Search History

S26 7	5	vector near3 cluster\$3 near3 nodes near3 (weight values attributes constraints)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 11:59
S26 8	1	10/725298	US-PGPUB; USPAT	OR	ON	2008/09/08 13:27
S26 9	1581	(obtain\$3 input\$4 get\$4) WITH (user client customer) WITH (update subscription) AND (vector)	US-PGPUB; USPAT	OR	ON	2008/09/08 13:32
S27 0	10029	709/226.ccls. 709/235.ccls. 709/229.ccls. 709/225.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:32
S27 1	40	S269 AND S270	US-PGPUB; USPAT	OR	ON	2008/09/08 13:32
S27 2	28017744	@ad<="20031203" @rlad<="20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:32
S27 3	37	S271 AND S272	US-PGPUB; USPAT	OR	ON	2008/09/08 13:42
S27 4	11792	(obtain\$3 input\$4 get\$4) WITH (user client customer) WITH (update subscription)	US-PGPUB; USPAT	OR	ON	2008/09/08 13:52
S27 5	327	S274 AND S270	US-PGPUB; USPAT	OR	ON	2008/09/08 13:53
S27 6	283	S275 AND S272	US-PGPUB; USPAT	OR	ON	2008/09/08 13:53
S27 7	206	(obtain\$3 input\$4 get\$4) WITH (user client customer) WITH (update AND subscription)	US-PGPUB; USPAT	OR	ON	2008/09/08 13:54
S27 8	113	S277 AND S272	US-PGPUB; USPAT	OR	ON	2008/09/08 13:54
S27 9	0	(obtain\$3 input\$4 get\$4) WITH (user client customer) WITH (update AND subscription) SAME (vector)	US-PGPUB; USPAT	OR	ON	2008/09/08 13:56
S28 0	0	((obtain\$3 input\$4 get\$4) WITH (user client customer) WITH (update AND subscription)) SAME (vector)	US-PGPUB; USPAT	OR	ON	2008/09/08 13:56
S28 1	0	(user) WITH (interest) WITH (update AND subscription AND proximal)	US-PGPUB; USPAT	OR	ON	2008/09/08 14:02

EAST Search History

S28 2	811	(user) WITH (interest) WITH (update)	US-PGPUB; USPAT	OR	ON	2008/09/08 14:02
S28 3	19	(user) WITH (interest) WITH (update) WITH (attribute)	US-PGPUB; USPAT	OR	ON	2008/09/08 14:02
S28 4	11	S283 AND S272	US-PGPUB; USPAT	OR	ON	2008/09/08 14:02
S28 5	10	(user) WITH (interest) WITH (subscription) WITH (attribute)	US-PGPUB; USPAT	OR	ON	2008/09/08 14:08
S28 6	0	(user) WITH (attributes) WITH (distance update)	US-PGPUB; USPAT	OR	ON	2008/09/08 14:12
S28 7	1338	(user) WITH (attributes) WITH (distance update)	US-PGPUB; USPAT	OR	ON	2008/09/08 14:12
S28 8	27	(user) WITH (attributes) WITH (distance AND update)	US-PGPUB; USPAT	OR	ON	2008/09/08 14:12
S28 9	25	S288 AND S272	US-PGPUB; USPAT	OR	ON	2008/09/08 14:13
S29 0	308	(content WITH update) SAME (vector)	US-PGPUB; USPAT	OR	ON	2008/09/08 14:17
S29 1	170	(content WITH update) WITH (vector)	US-PGPUB; USPAT	OR	ON	2008/09/08 14:17
S29 2	0	S291 AND S270	US-PGPUB; USPAT	OR	ON	2008/09/08 14:18
S29 3	137	S291 AND S272	US-PGPUB; USPAT	OR	ON	2008/09/08 14:18
S29 4	20	(user) WITH (subscription) WITH (vector)	US-PGPUB; USPAT	OR	ON	2008/09/08 14:21
S29 5	1	"20050210102"	US-PGPUB; USPAT	OR	ON	2008/09/08 15:07
S29 6	253	(user) WITH (interest) WITH (feed)	US-PGPUB; USPAT	OR	ON	2008/09/08 15:12
S29 7	10	(communication) WITH (user) WITH (interest) WITH (feed)	US-PGPUB; USPAT	OR	ON	2008/09/08 15:14
S29 8	2358	(communication) WITH (user) WITH (interests)	US-PGPUB; USPAT	OR	ON	2008/09/08 15:15
S29 9	0	(weighing) WITH (communication) WITH (user) WITH (interests)	US-PGPUB; USPAT	OR	ON	2008/09/08 15:15
S30 0	7	(weight) WITH (communication) WITH (user) WITH (interests)	US-PGPUB; USPAT	OR	ON	2008/09/08 15:15
S30 1	11	(obtain\$3 get\$4) WITH (user) WITH (interests) WITH (feed)	US-PGPUB; USPAT	OR	ON	2008/09/08 15:17
S30 2	1	"20050210102"	US-PGPUB; USPAT	OR	ON	2008/09/08 15:24
S30 3	1	"7035926".pn.	US-PGPUB; USPAT	OR	ON	2008/09/08 15:25
S30 4	240	(content WITH update) WITH (interest)	US-PGPUB; USPAT	OR	ON	2008/09/08 15:28

EAST Search History

S305	130	S304 AND S272	US-PGPUB; USPAT	OR	ON	2008/09/08 15:44
S306	0	(match\$3) WITH (user) WITH (communication ADJ interest) WITH (update)	US-PGPUB; USPAT	OR	ON	2008/09/08 15:50
S307	0	(user) WITH (communication ADJ interest) WITH (update)	US-PGPUB; USPAT	OR	ON	2008/09/08 15:50
S308	2829	(user customer client) WITH (communication) WITH (interest)	US-PGPUB; USPAT	OR	ON	2008/09/08 15:51
S309	11790	(user customer client) WITH (communication) WITH (interests requirements desire\$3)	US-PGPUB; USPAT	OR	ON	2008/09/08 15:52
S310	1178	((user customer client) WITH (communication) WITH (interests requirements desire\$3)) SAME (content feed website ADJ Update)	US-PGPUB; USPAT	OR	ON	2008/09/08 15:52
S311	1178	S309 AND S310	US-PGPUB; USPAT	OR	ON	2008/09/08 15:52
S312	635	S311 AND S272	US-PGPUB; USPAT	OR	ON	2008/09/08 15:52
S313	37	S312 AND S270	US-PGPUB; USPAT	OR	ON	2008/09/08 15:53
S314	499	((user customer client) WITH (communication) WITH (interests)) SAME (content feed website ADJ Update)	US-PGPUB; USPAT	OR	ON	2008/09/08 15:55
S315	1	((user customer client) WITH (communication) WITH (interests)) SAME ((content feed website) ADJ Update)	US-PGPUB; USPAT	OR	ON	2008/09/08 15:55
S316	31	((user customer client) WITH (interests)) SAME ((content feed website) ADJ Update)	US-PGPUB; USPAT	OR	ON	2008/09/08 15:55
S317	19	S316 AND S272	US-PGPUB; USPAT	OR	ON	2008/09/08 15:56
S318	2	"20030025720"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 16:18
S319	2	"2004147248"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 16:18

EAST Search History

S32 0	2	"20050210102"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 16:23
S32 1	2	"20010016825"	US-PGPUB; USPAT	OR	ON	2008/09/08 16:25
S32 2	1	"20010027474"	US-PGPUB; USPAT	OR	ON	2008/09/08 16:25
S32 3	1	"20010038624"	US-PGPUB; USPAT	OR	ON	2008/09/08 16:28
S32 4	0	"200501468"	US-PGPUB; USPAT	OR	ON	2008/09/08 16:28
S32 5	0	"2005014688"	US-PGPUB; USPAT	OR	ON	2008/09/08 16:28
S32 6	1	"20050141688"	US-PGPUB; USPAT	OR	ON	2008/09/08 16:28
S32 7	4	(communication ADJ interest) SAME (subscription)	US-PGPUB; USPAT	OR	ON	2008/09/08 16:30
S32 8	1	(communication ADJ interest) WITH (content ADJ update)	US-PGPUB; USPAT	OR	ON	2008/09/08 16:30
S32 9	1	(communication ADJ interest) WITH ((feed content) ADJ update)	US-PGPUB; USPAT	OR	ON	2008/09/08 16:33
S33 0	0	(user ADJ interest) WITH ((feed content) ADJ update)	US-PGPUB; USPAT	OR	ON	2008/09/08 16:33
S33 1	1	(user near3 interest) WITH ((feed content) ADJ update)	US-PGPUB; USPAT	OR	ON	2008/09/08 16:34
S33 2	34	(user) WITH (communication ADJ interest)	US-PGPUB; USPAT	OR	ON	2008/09/08 16:38
S33 3	24	S332 AND S272	US-PGPUB; USPAT	OR	ON	2008/09/08 16:39
S33 4	42	(combin\$3 match\$2) WITH (user ADJ (interests attributes)) SAME (update subscription)	US-PGPUB; USPAT	OR	ON	2008/09/08 16:42
S33 5	9346	(request SAME (updat\$3 modify\$3 chang\$3) near4 content)	US-PGPUB; USPAT	OR	ON	2008/09/08 16:59
S33 6	6259	S335 AND S272	US-PGPUB; USPAT	OR	ON	2008/09/08 16:59
S33 7	327	S336 AND S270	US-PGPUB; USPAT	OR	ON	2008/09/08 16:59
S33 8	180	(RSS near4 update)	US-PGPUB; USPAT	OR	ON	2008/09/08 17:06
S33 9	21	S338 AND S272	US-PGPUB; USPAT	OR	ON	2008/09/08 17:07

EAST Search History

S34 0	1	"20050210102"	US-PGPUB; USPAT	OR	ON	2008/09/08 17:09
S34 1	124	(Aaron near2 Johnson).IN.	US-PGPUB; USPAT	OR	ON	2008/09/08 17:09
S34 2	1	"20020026498"	US-PGPUB; USPAT	OR	ON	2008/09/08 17:12
S34 3	1	"20010027474"	US-PGPUB; USPAT	OR	ON	2008/09/08 17:21
S34 4	1	"20040034706"	US-PGPUB; USPAT	OR	ON	2008/09/08 17:23
S34 5	6	"20020123988"	US-PGPUB; USPAT	OR	ON	2008/09/08 17:23
S34 6	6	"20020123988"	US-PGPUB; USPAT	OR	ON	2008/09/08 17:24
S34 7	24	(user) WITH (interested near2 domains)	US-PGPUB; USPAT	OR	ON	2008/09/08 17:48
S34 8	1	"7035926".pn.	US-PGPUB; USPAT	OR	ON	2008/09/08 17:49
S34 9	1	"20050210102"	US-PGPUB; USPAT	OR	ON	2008/09/08 17:50
S35 0	19	(enhanc\$3 facilitat\$3 improv\$3) WITH (communication interaction) WITH (users) WITH (like similar sam\$1) WITH (interests)	US-PGPUB; USPAT	OR	ON	2008/09/08 17:52
S35 1	1390	(request with (content near4 updates))	US-PGPUB; USPAT	OR	ON	2008/09/08 18:33
S35 2	9	(interest) WITH (request with (content near4 updates))	US-PGPUB; USPAT	OR	ON	2008/09/08 18:33
S35 3	11	(interest) WITH (request with (proximal))	US-PGPUB; USPAT	OR	ON	2008/09/08 18:34
S35 4	510	(interest) WITH (request with (application))	US-PGPUB; USPAT	OR	ON	2008/09/08 18:36
S35 5	1	(interest) WITH (request with (content ADJ update))	US-PGPUB; USPAT	OR	ON	2008/09/08 18:37
S35 6	119	(interest) WITH (request with (subscription))	US-PGPUB; USPAT	OR	ON	2008/09/08 18:39
S35 7	61	S356 AND S272	US-PGPUB; USPAT	OR	ON	2008/09/08 18:39
S35 8	239	(collaborat\$3) WITH (users) WITH (update)	US-PGPUB; USPAT	OR	ON	2008/09/08 18:42
S35 9	6	S358 AND S270	US-PGPUB; USPAT	OR	ON	2008/09/08 18:42
S36 0	1	"20040068667"	US-PGPUB; USPAT	OR	ON	2008/09/08 18:53

EAST Search History

S36 1	1019	(classify\$3 match\$3 group\$3) WITH (users) WITH (subscriptions)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 19:29
S36 2	561	S361 AND S272	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 19:29
S36 3	4	(communication ADJ interest) WITH (subscription update)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 19:38
S36 4	7	(customer ADJ interest) WITH (subscription update)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 19:39
S36 5	1442	(obtain\$3 reciev\$3) WITH (request) WITH (update)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:06
S36 6	28018833	@ad<="20031203" @rlad<="20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:06
S36 7	879	S365 AND S366	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:06

EAST Search History

S368	46	S367 AND (vector)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:07
S369	10	S367 AND (classifying profiling categorizing) WITH (users customers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:25
S370	81	((user customer client) WITH (subscription) WITH (specific)) SAME (interest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:31
S371	46	S370 AND S366	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:32
S373	6	S371 AND (close\$3 near\$3 proximal) WITH (server provider website)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:48
S374	6	S371 AND (close\$3 near\$3 proximal) WITH (server provider website domains)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:48
S375	2255	(user) SAME (topic near3 interest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:56

EAST Search History

S37 6	520	(user) SAME (topic near3 interest) SAME (request\$3 subscri\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:56
S37 7	341	S376 AND S366	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:56
S37 8	54	S377 AND (close\$3 near\$3 proximal) WITH (server provider website domains)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:57
S37 9	34	S378 AND (updated latest newest) WITH (data content website feed)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:59
S38 1	2	"5828843".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 18:20
S38 2	2	"20050076137"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 18:24
S38 3	1	S381 AND (vector)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 18:26

EAST Search History

S38 4	2	"20050120105"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 21:11
S38 5	13	((GEORGE) near2 (POPESCU)).INV.	US-PGPUB; USPAT	OR	ON	2008/09/10 12:56
S38 6	143	((ZHEN) near2 (LIU)).INV.	US-PGPUB; USPAT	OR	ON	2008/09/10 12:56
S38 7	29	((SAMBIT) near2 (SAHU)).INV.	US-PGPUB; USPAT	OR	ON	2008/09/10 12:56
S38 8	79229	(International ADJ Business ADJ Machines).AS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 12:57
S38 9	10969	(form\$3 creat\$3 maki\$3) WITH (unified single combined) WITH (vector)	US-PGPUB; USPAT	OR	ON	2009/03/17 13:40
S39 0	10969	(form\$3 creat\$3 maki\$3) WITH (unified single combined) WITH (vector)	US-PGPUB; USPAT	OR	ON	2009/03/17 15:06
S39 1	80	S390 AND *709*/\$3.cds.	US-PGPUB; USPAT	OR	ON	2009/03/17 15:06
S39 2	28064604	@rlad<="20031203" @ad<="20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 15:07
S39 3	74	S391 AND S392	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 15:07
S39 4	258	(form\$3 creat\$3 maki\$3) WITH (unified single combined) WITH (vector) WITH (parameters attributes requirements attributes)	US-PGPUB; USPAT	OR	ON	2009/03/17 15:10
S39 5	158	S394 AND S392	US-PGPUB; USPAT	OR	ON	2009/03/17 15:10
S39 6	0	S395 AND *709*/\$3.cds,	US-PGPUB; USPAT	OR	ON	2009/03/17 15:10
S39 7	4	S395 AND *709*/\$3.cds.	US-PGPUB; USPAT	OR	ON	2009/03/17 15:10

EAST Search History

S39 8	9	(form\$3 creat\$3 maki\$3) WITH (unified single combined) WITH (vector) WITH (parameters attributes requirements attributes) WITH (network)	US-PGPUB; USPAT	OR	ON	2009/03/17 15:16
S39 9	258	(form\$3 creat\$3 maki\$3) WITH (unified single combined) WITH (vector) WITH (parameters attributes requirements attributes)	US-PGPUB; USPAT	OR	ON	2009/03/17 15:18
S40 0	90	(form\$3 creat\$3 maki\$3) WITH (unified single combined) WITH (vector profile index) WITH (parameters attributes requirements attributes) WITH (node user device)	US-PGPUB; USPAT	OR	ON	2009/03/17 16:00
S40 1	42	S400 AND S392	US-PGPUB; USPAT	OR	ON	2009/03/17 16:02
S40 2	127	(form\$3 creat\$3 maki\$3) WITH (unified single one) WITH (vector) WITH (parameters attributes requirements attributes) WITH (node user device)	US-PGPUB; USPAT	OR	ON	2009/03/17 17:21
S40 3	2	S402 AND "709"/\$3.cds.	US-PGPUB; USPAT	OR	ON	2009/03/17 17:26
S40 4	28064604	@riad<="20031203" @ad<="20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 17:34
S40 5	88	S402 AND S404	US-PGPUB; USPAT	OR	ON	2009/03/17 17:34
S40 6	88	(form\$3 creat\$3 maki\$3) WITH (single one "a") WITH (vector profile index) WITH (user node) WITH (parameters requirements attributes) WITH (network)	US-PGPUB; USPAT	OR	ON	2009/03/17 17:44
S40 7	64	S406 AND ((group\$3 match\$3 combin\$3) WITH (nodes users))	US-PGPUB; USPAT	OR	ON	2009/03/17 17:45
S40 8	65	S406 AND ((group\$3 match\$3 combin\$3 classif\$4) WITH (nodes users))	US-PGPUB; USPAT	OR	ON	2009/03/17 17:45
S40 9	38	S408 AND S404	US-PGPUB; USPAT	OR	ON	2009/03/17 17:46
S41 0	9	S409 AND "709"/\$3.cds.	US-PGPUB; USPAT	OR	ON	2009/03/17 17:46
S41 1	2	(form\$3 creat\$3 mak\$3) WITH (single one "a") WITH (vector) WITH (user node) WITH (parameters requirements attributes) WITH (network)	US-PGPUB; USPAT	OR	ON	2009/03/17 17:52

EAST Search History

S41 2	61	(US-20050120088-\$ or US-20050076137-\$ or US-20050066033-\$ or US-20030046396-\$ or US-20040039815-\$ or US-20040083289-\$ or US-20020120741-\$ or US-20040068667-\$ or US-20050027863-\$ or US-20050015488-\$ or US-20050027862-\$ or US-20020107962-\$ or US-20040143663-\$ or US-20030152034-\$ or US-20040249939-\$ or US-20050010571-\$ or US-20070008884-\$ or US-20050193123-\$ or US-20020174227-\$ or US-20040010577-\$ or US-20020073199-\$ or US-20070067296-\$ or US-20040017783-\$ or US-20050071458-\$ or US-20030120630-\$ or US-20060161814-\$). did. or (US-20050063318-\$ or US-20040107195-\$ or US-20020152305-\$ or US-20050273514-\$ or US-20050038909-\$ or US-20030097438-\$ or US-20020143888-\$ or US-20020078237-\$ or US-20010034793-\$ or US-20040181607-\$ or US-20060184461-\$ or US-20020049841-\$ or US-20020059425-\$ or US-20030191829-\$ or US-20060288329-\$ or US-20040111465-\$ or US-20050120105-\$ or US-20030025720-\$ or US-20030087652-\$ or US-20040186766-\$ or US-20020029173-\$ or US-20080263207-\$).did. or (US-5828843-\$ or US-6085241-\$ or US-5193151-\$ or US-6185619-\$ or US-5894556-\$ or US-7203729-\$ or US-7035926-\$ or US-7035653-\$ or US-6944645-\$ or US-7058696-\$ or US-6757710-\$ or US-7110983-\$).did. or (US-5828843-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2009/03/18 14:55
S41 3	18	S412 AND (vector)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 14:55
S41 4	257	(node users) near5 (profile vector index) near5 (requisites properties parameters attributes) near5 (network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:15

EAST Search History

S41 5	236112	(cluster\$3 combin\$3 aggregat\$3 group\$3) WITH (users nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:17
S41 6	152	S414 AND S415	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:17
S41 7	29	(node users) near5 (vector) near5 (requisites properties parameters attributes) near5 (network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:20
S41 8	18	S417 AND S415	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:20
S41 9	2	(creat\$3 mak\$3) near5 (node client users) near5 (vector) near5 (requisites properties parameters attributes) near5 (network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:32
S42 0	28	(creat\$3 mak\$3) WITH (vector) WITH (requisites properties parameters attributes) WITH (client node user) WITH (network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:33
S42 1	28	(creat\$3 mak\$3) WITH (vector) WITH (network) WITH (requisites properties parameters attributes) WITH (client node user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:34

EAST Search History

S42 2	155	(creat\$3 mak\$3) WITH (vector profile) WITH (network) WITH (requisites properties parameters attributes) WITH (client node user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:35
S42 3	169	(creat\$3 mak\$3) WITH (vector profile) WITH (network) WITH (requirements requisites properties parameters attributes) WITH (client node user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:35
S42 4	42	(creat\$3 mak\$3) WITH ("a" "single" "unified") WITH (vector profile) WITH (network) WITH (requirements requisites properties parameters attributes) WITH (client node user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:37
S42 5	1	(creat\$3 mak\$3) WITH ("a" "single" "unified") WITH (vector) WITH (network) WITH (requirements requisites properties parameters attributes) WITH (client node user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:39
S42 6	2259	(creat\$3 mak\$3) WITH (vector) WITH (client node user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:39
S42 7	1197	S426 AND S415	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:39
S42 8	9	((creat\$3 mak\$3) WITH (vector) WITH (client node user)) SAME ((network) WITH (parameters requirements))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:40

EAST Search History

S429	154	((creat\$3 mak\$3) WITH (profile) WITH (client node user)) SAME ((network) WITH (parameters requirements))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:41
S430	100	S429 AND S415	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:42
S431	15	S430 AND (vector)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:43
S432	48	("20020129135" "20020165934" "20030097438" "20030101278" "20040030705" "20040068667" "20040218529" "20050010571" "20050076137" "20050083848" "20050083848" "20060080438" "5457797" "5535426" "5758072" "5761502" "5774689" "5828843" "5968121" "6009257" "6023562" "6097942" "6192401" "6330602" "6487600") .PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:13
S433	4	S432 AND (vector)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:13
S434	270	(vector) WITH ((QOS) (Quality ADJ2 Service))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:17
S436	0	(creat\$3 maki\$3) WITH (vector) WITH ((QOS) (Quality ADJ2 Service)) WITH (user node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:18

EAST Search History

S43 7	6	(creat\$3 maki\$3) WITH (vector) WITH ((QOS) (Quality ADJ2 Service))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:18
S43 8	8	(creat\$3 maki\$3) WITH (vector) WITH (network) WITH (requirements constraints)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:19
S43 9	0	(Santosh near2 Rangarajan).IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 17:51
S44 0	1043	(Iyengar).IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 17:52
S44 1	17	S440 AND (vector AND network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 17:52
S44 2	1	"20050091344" AND (vector)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 17:56